



In Home Lighting Limited
英鋒光電有限公司

Skype: [inhomelight02](https://www.skype.com/user/inhomelight02)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Wechat & WhatsApp: +86 13686683192, +86 13556686530

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City, GuanDong Province, China 523750

IP68 LED Underwater Light Catalog

_ From Alice

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.

Led Fountain Light (IP-68)






Picture	Item Number	Description	Voltage	Beam Angle	Size (mm)	Material	Package (mm)
	IH-SD-FL9X1	9X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ160×36	Stainless Steel + Tempered Glass	390*195*260 4PCS/Box
	IH-SD-FL9X2	9X2W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-FL9X1F	9X1W RGB	12VDC or 24VDC				
	IH-SD-FL9X2F	9X2W RGB	12VDC or 24VDC				
	IH-SD-FL9X3FF	9X3W RGB 3in1	12VDC or 24VDC				





	IH-SD-F9X1	9X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ200×64	Stainless Steel + Tempered Glass	490*250*280 4PCS/Box
	IH-SD-F9X3	9X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-F9X1F	9X1W RGB	12VDC or 24VDC				
	IH-SD-F9X3F	9X3W RGB	12VDC or 24VDC				
	IH-SD-F9X3FF	9X 3W RGB 3in1	12VDC or 24VDC				

	IH-SD-F12X1	12X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ200×64	Stainless Steel + Tempered Glass	490*250*280 4PCS/Box
	IH-SD-F12X3	12X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-F12X1F	12X1W RGB	12VDC or 24VDC				
	IH-SD-F12X3FF	12X3W RGB	12VDC or 24VDC				
	IH-SD-F12X3FF	12X3W RGB 3in1	12VDC or 24VDC				

Embedded Underwater Light (IP-68)

	IH-SD-N6X1	6X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ150×32	Stainless Steel + Tempered Glass	360*190*240 4PCS/Box
	IH-SD-N6X3	6X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-N6X1F	6X1W RGB	12VDC or 24VDC				
	IH-SD-N6X3F	6X3W RGB	12VDC or 24VDC				
	IH-SD-N6X3FF	6X3W RGB 3 in 1	12VDC or 24VDC				

Picture	Item Number	Description	Voltage	Beam Angle	Size (mm)	Material	Package (mm)
	IH-SD-M1X1	1X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	25° C20*25°	Φ68×73	Stainless Steel + Tempered Glass	270*270*290 8PCS/Box
	IH-SD-M1X3	1X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-M1X3FF	1x3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-M3X1	3X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	25° C20*25°	Φ118×72	Stainless Steel + Tempered Glass	340*180*300 4PCS/Box
	IH-SD-M3X3	3X3W Color: Blue ,Green, Red, White, Yellow.	12VDC or 24VDC				
	IH-SD-M3X1F	3X1W RGB	12VDC or 24VDC				
	IH-SD-M3X3F	3X3W RGB	12VDC or 24VDC				
	IH-SD-M3X3FF	3X3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-M6X1	6X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ160×65	Stainless Steel + Tempered Glass	390*195*260 4PCS/Box
	IH-SD-M6X3	6X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-M6X1F	6X1W RGB	12VDC or 24VDC				
	IH-SD-M6X3F	6X3W RGB	12VDC or 24VDC				
	IH-SD-M6X3FF	6X3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-M9X1	9X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ160×65	Stainless Steel + Tempered Glass	390*195*260 4PCS/Box
	IH-SD-M9X3	9X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-M9X1F	9X1W RGB	12VDC or 24VDC				
	IH-SD-M9X3F	9X3W RGB	12VDC or 24VDC				
	IH-SD-M9X3FF	9X3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-M12X1	12X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ185×65	Stainless Steel + Tempered Glass	420*220*280 4PCS/Box
	IH-SD-M12X3	12X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-M12X1F	12X1W RGB	12VDC or 24VDC				
	IH-SD-M12X3F	12X3W RGB	12VDC or 24VDC				
	IH-SD-M12X3FF	12X3W RGB 3 in 1	12VDC or 24VDC				

Picture	Item Number	Description	Voltage	Beam Angle	Size (mm)	Material	Package (mm)
Underwater projection lights (IP-68)							
	IH-SD-J6X1	6X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	15° 30° 45°	Φ150×89	Stainless Steel + Tempered Glass	380*190*310 4PCS/Box
	IH-SD-J6X3	6X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-J6X1F	6X1W RGB	12VDC or 24VDC				
	IH-SD-J6X3F	6X3W RGB	12VDC or 24VDC				
	IH-SD-J6X3FF	6X3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-J9X1	9X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	15° 30° 45°	Φ150×89	Stainless Steel + Tempered Glass	380*190*310 4PCS/Box
	IH-SD-J9X3	9X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-J9X1F	9X1W RGB	12VDC or 24VDC				
	IH-SD-J9X3F	9X3W RGB	12VDC or 24VDC				
	IH-SD-J9X3FF	9X3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-J3X1	3X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ90×38	Stainless Steel + Tempered Glass	270*270*290 4PCS/Box
	IH-SD-J3X3	3X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-J3X1F	3X1W RGB	12VDC or 24VDC				
	IH-SD-J3X3F	3X3W RGB	12VDC or 24VDC				
	IH-SD-J3X3FF	3X3W RGB 3 in 1	12VDC or 24VDC				
	IH-SD-Z1X1	1X1W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC	30°	Φ68	Stainless Steel + Tempered Glass	270*270*290 8PCS/Box
	IH-SD-Z1X3	1X3W Color: Blue ,Green, Red, White, Yellow	12VDC or 24VDC				
	IH-SD-Z1X3FF	1X3W RGB 3 in 1	12VDC or 24VDC				

1. Delivery: 10-15 Working Days after Payment

2. Warranty: 3 years





In Home Lighting Limited

英鋒光電有限公司

Skype: [inhomelight02](https://www.skype.com/user/inhomelight02)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Wechat & WhatsApp: +86 13686683192, +86 13556686530

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City, GuanDong Province, China 523750

LED Underground Light Catalog

_ From Alice

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.

Picture	Item Number	Description	Beam Angle	Voltage	Size (mm)	Material	Package (mm)
	IH-MD-KA1X1	1X1W single color White, Blue, Green, Red etc	10°, 20°, 30°, 45°, C20*25°	12VDC or 24VDC	Φ50*68	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*290*270 24PCS/box
	IH-MD-KA1X3	1X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-KA1X3FF	1x3W RGB 3 in 1		12VDC or 24VDC			
	IH-MD-KB1X1	1X1W single color White, Blue, Green, Red etc	10°, 20°, 30°, 45°, C20*25°	12VDC or 24VDC	Φ50*75	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*290*270 24PCS/box
	IH-MD-KB1X3	1X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-KB1X3FF	1x3W RGB 3 in 1		12VDC or 24VDC			
	IH-MD-QY1X1	1X1W single color White, Blue, Green, Red etc	30°, C20*25°	12VDC or 24VDC	Φ67*85	Tempered Glass+ Stainless Steel + Die-casting Aluminum	270*270*290 8PCS/box
	IH-MD-QY1X3	1X3W single color White, Blue, Green, Red etc		12VDC or 24VDC			
	IH-MD-QY1X3FF	1x3W RGB 3 in 1		12VDC or 24VDC			
	IH-MD-1S1X3	1X3W single color White, Blue, Green, Red etc one side emitting	Side Emitting	12VDC or 24VDC	Φ70*71	Stainless Steel + Die-casting Aluminum	270*270*290 8PCS/box
	IH-MD-2S1X3	1X3W single color White, Blue, Green, Red etc two sides emitting		12VDC or 24VDC			
	IH-MD-4S1X3	1X3W single color White, Blue, Green, Red etc four sides emitting		12VDC or 24VDC			
	IH-MD-KC1X1	1X1W single color White, Blue, Green, Red etc	30°, C20*25°	12VDC or 24VDC	Φ55*72	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*290*270 24PCS/box
	IH-MD-KC1X3	1X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-KC1X3FF	1x3W RGB 3 in 1		12VDC or 24VDC			
	IH-MD-FC1X1	1X1W single color White, Blue, Green, Red etc	30°, C20*25°	12VDC or 24VDC	Φ55*72	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*290*270 24PCS/box
	IH-MD-FC1X3	1X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-FC1X3FF	1x3W RGB 3 in 1		12VDC or 24VDC			
	IH-MD-1K1X3	1X3W single color White, Blue, Green, Red etc one side emitting	Side Emitting	12VDC or 24VDC	Φ55*76	Stainless Steel + Die-casting Aluminum	380*290*270 24PCS/box
	IH-MD-2K1X3	1X3W single color White, Blue, Green, Red etc two sides emitting		100-240VAC			
	IH-MD-4K1X3	1X3W single color White, Blue, Green, Red etc four sides emitting		12VDC or 24VDC			

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.


Picture	Item Number	Description	Beam Angle	Voltage	Size (mm)	Material	Package (mm)
	IH-MD-COBY5	COB 1X5W single color White, Blue, Green, Red etc	30°	100-240VAC	Φ70*80	Tempered Glass+ Stainless Steel + Die-casting Aluminum	270*270*290 8PCS/box
	IH-MD-COBF5	COB 1X5W single color White, Blue, Green, Red etc	30°	100-240VAC	Φ66*80	Tempered Glass+ Stainless Steel + Die-casting Aluminum	270*270*290 8PCS/box
	IH-MD-C31X1	3X1W single color White, Blue, Green, Red etc	30°	24VDC	198*63	Tempered Glass+ Stainless Steel + Die-casting Aluminum	
	IH-MD-C31X3	3X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-C31X3FF	3X3W RGB 3 in 1		24VDC 100-240VAC			
	IH-MD-C61X1	6X1W single color White, Blue, Green, Red etc	30°	24VDC	328*63	Tempered Glass + Die-casting Aluminum	
	IH-MD-C61X3	6X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-C61X3FF	6X3W RGB 3 in 1		24VDC 100-240VAC			
 	IH-MD-E6X1	6X1W single color White, Blue, Green, Red etc	10°, 20°, 30°, 45°, C20*25°	24VDC	Φ165*80	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*190*310 4PCS/box
	IH-MD-E6X3	6X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-E6X1F	6X1W RGB		24VDC			
	IH-MD-E6X3F	6X3W RGB		100-240VAC			
	IH-MD-E6X3FF	6X3W RGB 3 in 1		12VDC or 24VDC			
 	IH-MD-E7X1	7X1W single color White, Blue, Green, Red etc	10°, 20°, 30°, 45°, C20*25°	24VDC	Φ165*80	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*190*310 4PCS/box
	IH-MD-E7X3	7X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-E7X3FF	7X3W RGB 3 in 1		24VDC 100-240VAC			
 	IH-MD-E9X1	9X1W single color White, Blue, Green, Red etc	10°, 20°, 30°, 45°	24VDC	Φ165*80	Tempered Glass+ Stainless Steel + Die-casting Aluminum	380*190*310 4PCS/box
	IH-MD-E9X3	7X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-E9X1F	9X1W RGB		24VDC			
	IH-MD-E9X3F	9X3W RGB		100-240VAC			
	IH-MD-E9X3FF	9X3W RGB 3 in 1		12VDC or 24VDC			

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.

Picture	Item Number	Description	Beam Angle	Voltage	Size (mm)	Material	Package (mm)
 	IH-MD-A3X1	3X1W single color White, Blue, Green, Red etc	10°, 20°, 30°, 45°	12VDC or 24VDC	Φ118*68	Tempered Glass+ Stainless Steel + Die-casting Aluminum	270*270*290 8PCS/box
	IH-MD-A3X3	3X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-A3X3FF	3X3W RGB 3 in 1		12VDC or 24VDC			
 	IH-MD-A6X1	6X1W single color White, Blue, Green, Red etc	30°, 45°	24VDC	Φ160*37	Tempered Glass+ Stainless Steel + Die-casting Aluminum	390*195*260 4PCS/box
	IH-MD-A6X3	6X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-A6X3FF	6X3W RGB 3 in 1		12VDC or 24VDC			
  	IH-MD-A9X1	9X1W single color White, Blue, Green, Red etc	30°, 45°	24VDC	Φ160*37	Tempered Glass+ Stainless Steel + Die-casting Aluminum	390*195*260 4PCS/box
	IH-MD-A9X2	9X2W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-A9X1F	9X1W RGB		24VDC			
	IH-MD-A9X2F	9X2W RGB		100-240VAC			
	IH-MD-A9X3FF	9X3W RGB 3 in 1		12VDC or 24VDC			
  	IH-MD-A12X1	12X1W single color White, Blue, Green, Red etc	30°, 45°	24VDC	Φ185*40	Tempered Glass+ Stainless Steel + Die-casting Aluminum	420*220*280 4PCS/box
	IH-MD-A12X3	12X3W single color White, Blue, Green, Red etc		100-240VAC			
	IH-MD-A12X1F	12X1W RGB		24VDC			
	IH-MD-A12X3F	12X3W RGB		100-240VAC			
	IH-MD-A12X3FF	12X3W RGB 3 in 1		12VDC or 24VDC			

1. Delivery: 10-15 Working Days after Payment

2. Warranty: 3 years





In Home Lighting Limited
英鋒光電有限公司

Skype: [inhomelight02](https://www.skype.com/user/inhomelight02)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Wechat & WhatsApp: +86 13686683192, +86 13556686530

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City, GuanDong Province, China 523750

LED Garden Light Catalog

_From Alice

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.


Picture	Item Number	Description	Beam Angle	Voltage	Size (mm)	Material	Box Size (mm)
	IH-TD-S1X1	1X1W Blue, Green, Red, Yellow, White	30°	12/24VDC	Φ42*75	Tempered Glass + Die-casting Aluminum	250*250*230 8PCS/box
	IH-TD-S1X3	1X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-S1X3FF	1X3W RGB 3in 1		12/24VDC			
	IH-TD-B1X1D	1X1W Blue, Green, Red, Yellow, White	30°	12/24VDC	Φ42*75	Tempered Glass + Die-casting Aluminum	270*270*415 8PCS/box
	IH-TD-B1X3D	1X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-B1X3DFF	1X3W RGB 3in 1		12/24VDC			
	IH-TD-GU10D	GU10 35W / 50W	50°	220VAC	Φ96*89	Front Cover: Stainless Steel + Tempered Glass	250*240*460 8PCS/box
	IH-TD-GU10	GU10 35W / 50W	50°	220VAC	Φ96*89	Housing: Die-casting Aluminum	270*270*420 8PCS/box
	IH-TD-D3X1D	3X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	12/24VDC	Φ95*89	Front Cover: Stainless Steel + Tempered Glass	250*240*460 8PCS/box
	IH-TD-D3X3D	3X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-D3X1DF	3X1W RGB		12/24VDC			
	IH-TD-D3X3DF	3X3W RGB		100-240VAC			
	IH-TD-D3X3DFF	3X3W RGB 3in 1		12/24VDC			
	IH-TD-D3X1	3X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	12/24VDC	Φ95*89	Front Cover: Stainless Steel + Tempered Glass	270*270*420 8PCS/box
	IH-TD-D3X3	3X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-D3X1F	3X1W RGB		12/24VDC			
	IH-TD-D3X3F	3X3W RGB		100-240VAC			
	IH-TD-D3X3FF	3X3W RGB 3in 1		12/24VDC			
	IH-TD-Y1X5	COB LED 1X5W	25°	100-240VAC	Φ64*73	Tempered Glass + Die-casting Aluminum	250*250*230

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.

Picture	Item Number	Description	Beam Angle	Voltage	Size (mm)	Material	Box Size (mm)
	IH-TD-Y3X1	3X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	12/24VDC	Φ64*73	Tempered Glass + Die-casting Aluminum	250*250*230 8PCS/box
	IH-TD-Y3X2	3X2W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-Y3X1F	3X1W RGB		12/24VDC			
	IH-TD-Y3X2F	3X2W RGB		100-240VAC			
	IH-TD-Y3X2FF	3X2W RGB 3in 1		12/24VDC			
	IH-TD-Y6X1	6X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	12/24VDC	Φ83*134	Tempered Glass + Die-casting Aluminum	270*270*290 8PCS/box
	IH-TD-Y6X2	6X2W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-Y6X1F	6X1W RGB		12/24VDC			
	IH-TD-Y6X2F	6X2W RGB		100-240VAC			
	IH-TD-Y6X2FF	6X2W RGB 3in 1		12/24VDC			
	IH-TD-Q3X1	3X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	12/24VDC	Φ86*99	Tempered Glass + Die-casting Aluminum	270*270*290 8PCS/box
	IH-TD-Q3X3	3X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-Q3X1F	3X1W RGB		12/24VDC			
	IH-TD-Q3X3F	3X3W RGB		100-240VAC			
	IH-TD-Q3X3FF	3X3W RGB 3in 1		12/24VDC			
	IH-TD-Q6X1	6X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	24VDC	Φ130*155	Tempered Glass + Die-casting Aluminum	410*235*410 4PCS/box
	IH-TD-Q6X3	6X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-Q6X3FF	6X3W RGB 3in 1		24VDC			
	IH-TD-Q18X1	18X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	24VDC	Φ180*160	Tempered Glass + Die-casting Aluminum	480*250*500 4PCS/box
	IH-TD-Q18X3	18X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-Q18X3FF	18X3W RGB 3in 1		24VDC			
	IH-TD-A5X1	5X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	24VDC	Φ108	Tempered Glass + Die-casting Aluminum	480*250*270 4PCS/box
	IH-TD-A5X3	5X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-A5X3FF	5X3W RGB 3in 1		12/24VDC			
	IH-TD-A5X1D	5X1W Blue, Green, Red, Yellow, White	15°, 30°, 45°, 60°	24VDC	Φ108	Tempered Glass + Die-casting Aluminum	520*260*350 4PCS/box
	IH-TD-A5X3D	5X3W Blue, Green, Red, Yellow, White		100-240VAC			
	IH-TD-A5X3DFF	5X3W RGB 3in 1		12/24VDC			

1. Delivery: 10-15 Working Days after Payment

2. Warranty: 3 years





In Home Lighting Limited
英鋒光電有限公司

Skype: [inhomelight02](https://www.skype.com/user/inhomelight02)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Wechat & WhatsApp: +86 13686683192, +86 13556686530

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City, GuanDong Province, China 523750

LED Recessed Wall & Stair Light Catalog


_From Alice

Product Customization available: Print Company Logo, Customize Size & Shape, Color & Power Design etc.

Picture	Item number	Specification	Voltage	Size (mm)	Material	Package (mm)
	IH-BD-F18D20	LEDs: 18 LED -3020 Color: White, Blue, Green, Red, Yellow	100-240V AC	160*160	Tempered Glass + Die-casting Aluminum	380*190*310 4PCS/box
	IH-BD-C20D20	LEDs: 20 LED - 3020 Color: White, Blue, Green, Red, Yellow	100-240V AC	171*106	Tempered Glass + Die-casting Aluminum	370*210*220 6PCS/box
	IH-BD-C24D20	LEDs: 24 LED - 3020 Color: White, Blue, Green, Red, Yellow	100-240V AC	171*106	Tempered Glass + Die-casting Aluminum	370*210*220 6PCS/box
	IH-BD-Y6D57	LEDs: 6 LED - 5730 Color: White, Blue, Green, Red, Yellow	100-240V AC	100*100	Tempered Glass + Die-casting Aluminum	250*250*230 8PCS/box
	IH-BD-F6D57	LEDs: 6 LED - 5730 Color: White, Blue, Green, Red, Yellow	100-240V AC	95*95	Tempered Glass + Die-casting Aluminum	250*250*230 8PCS/box
	IH-BD-C6D57	LEDs: 6 LED - 5730 Color: White, Blue, Green, Red, Yellow	100-240V AC	145*45	Tempered Glass + Die-casting Aluminum	310*290*180 24PCS/box
	IH-BD-Y1X3	1X3W LED Color: Pure White / Warm White	24V DC	79*79	Die-casting Aluminum	290*200*290 18PCS/box
	IH-BD-F1X3	1X3W LED Color: Pure White / Warm White	24V DC	79*79	Die-casting Aluminum	290*200*290 18PCS/box

1. Delivery: 10-15 Working Days after Payment

2. Warranty: 3 years





In Home Lighting Limited

英鋒光電有限公司

Skype: [inhomelight02](https://www.skype.com/user/inhomelight02)

WhatsApp: [+86 13686683192](https://www.whatsapp.com/business/profile/313686683192), [13556686530](https://www.whatsapp.com/business/profile/13556686530)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City 523750, GuangDong Province, China

LED 5050SMD Pool Light Catalog

Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumens (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-280-81D50	280*75	PC Cover, ABS Body	1.3	AC-12V	81PC 5050	≤15	500	800	RGB	internal control
								1400	1800	White	/
										Green	/
										Blue	/
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCS/box/15KG											
	IH-pool light-280-126D50	280*75	PC Cover, ABS Body	1.4	AC-12V	126PC 5050	≤25	800	1500	RGB	self-changing +switch control
								2000	2500	White	/
										Green	/
										Blue	/
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCS/box/15KG											
	IH-pool light-280-180D50	280*75	PC Cover, ABS Body	1.5	AC-12V	180PC 5050	≤35	1500	2000	RGB	internal control
								3000	3500	White	/
										Green	/
										Blue	/
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCS/box/15KG											
Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumens (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-300-81D50	300*75	PC Cover+ Stainless steel chassis	1.8	AC-12V	81PC 5050	≤15	500	800	RGB	internal control
								1400	1800	White	/
										Green	/
										Blue	/
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCS/box/20KG											
	IH-pool light-300-126D50	300*75	PC Cover+ Stainless steel chassis	1.8	AC-12V	126PC 5050	≤25	800	1500	RGB	internal control
								2000	2500	White	/
										Green	/
										Blue	/
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCS/box/20KG											
	IH-pool light-300-180D50	300*75	PC Cover+ Stainless steel chassis	1.8	AC-12V	180PC 5050	≤35	1500	2000	RGB	internal control
								3000	3500	White	/
										Green	/
										Blue	/
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCS/box/20KG											
	IH-pool light-28-81D50	280*75	PC Cover, ABS Body	1.3	AC-12V	81PC 5050	≤15	500	800	RGB	internal control
								1400	1800	White	/
										Green	/
										Blue	/
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCS/box/15KG											
	IH-pool light-28-126D50	280*75	PC Cover, ABS Body	1.4	AC-12V	126PC 5050	≤25	800	1500	RGB	self-changing +switch control
								2000	2500	White	/
										Green	/
										Blue	/
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCS/box/15KG											
	IH-pool light-28-180D50	280*75	PC Cover, ABS Body	1.5	AC-12V	180PC 5050	≤35	1500	2000	RGB	internal control
								3000	3500	White	/
										Green	/
										Blue	/
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCS/box/15KG											



In Home Lighting Limited

英鋒光電有限公司

Skype: [inhomelight02](https://www.inhomelight02.com)

WhatsApp: [+86 13686683192, 13556686530](https://www.whatsapp.com/business/profile/313686683192)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City 523750, GuangDong Province, China

F5 LED Pool Light Catalog

Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumens (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-280-252LED	280*75	PC Cover, ABS Body	1.3	AC-12V	252PC 5MM	≤18	300	600	RGB	internal control
								1200	1900	White	/
										Green	/
										Blue	/
Inner box size: 320*315*90mm, box size: 450*330*670mm, 10PCS/box/15KG,											
	IH-pool light-280-354LED	280*75	PC Cover, ABS Body	1.4	AC-12V	354PC 5MM	≤25	450	1200	RGB	self-changing +switch control
								1700	2500	White	/
										Green	/
										Blue	/
Inner box size: 320*315*90mm, box size: 450*330*670mm, 10PCS/box/16KG,											
	IH-pool light-280-558LED	280*75	PC Cover, ABS Body	1.5	AC-12V	558PC 5MM	≤40	700	1800	RGB	internal control
								2500	3300	White	/
										Green	/
										Blue	/
Inner box size: 320*315*90mm, box size: 450*330*670mm, 10PCS/box/17KG,											
Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumens (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-300-252LED	300*75	PC Cover, +Stainless steel chassis	1.8	AC-12V	252PC 5MM	≤18	300	600	RGB	internal control
								1200	1900	White	/
										Green	/
										Blue	/
Inner box size: 310*310*90mm, box size: 620*430*310mm, 10PCS/box/20KG,											
	IH-pool light-300-354LED	300*75	PC Cover, +Stainless steel chassis	1.8	AC-12V	354PC 5MM	≤25	450	1000	RGB	internal control
								1700	2500	White	/
										Green	/
										Blue	/
Inner box size: 310*310*90mm, box size: 620*430*310mm, 10PCS/box/20KG,											
	IH-pool light-300-558LED	300*75	PC Cover, +Stainless steel chassis	1.8	AC-12V	558PC 5MM	≤40	700	1800	RGB	internal control
								2500	3300	White	/
										Green	/
										Blue	/
Inner box size: 310*310*90mm, box size: 620*430*310mm, 10PCS/box/20KG,											
Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumens (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-295-252LED	295*70	PC Cover, ABS Body	1.3	AC-12V	252PC 5MM	≤18	300	600	RGB	internal control
								1200	1900	White	/
										Green	/
										Blue	/
Inner box size: 320*315*90mm, box size: 450*330*670mm, 10PCS/box/15KG,											
	IH-pool light-295-354LED	295*70	PC Cover, ABS Body	1.4	AC-12V	354PC 5MM	≤25	450	1000	RGB	internal control
								1700	2500	White	/
										Green	/
										Blue	/
Inner box size: 320*315*90mm, box size: 450*330*670mm, 10PCS/box/16KG,											
	IH-pool light-295-558LED	295*70	PC Cover, ABS Body	1.5	AC-12V	558PC 5MM	≤40	700	1800	RGB	internal control
								2500	3300	White	/
										Green	/
										Blue	/
Inner box size: 320*315*90mm, box size: 450*330*670mm, 10PCS/box/17KG,											



LED High-power Pool Light Catalog

Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumen (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-280-12*1W	280*75	PC Cover+ABS Body	1.5	AC12V	12PCS 1W	≤12	600	800	RGB	internal control
											remote control
								1200	1500	White	/
										Green	/
									Blue	/	
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCSS/box/16KG											
	IH-pool light-280-18*1W	280*75	PC Cover+ABS Body	1.5	AC12V	18PCS 1W	≤18	1200	1500	RGB	self-changing +switch control
											remote control
								1800	2200	White	/
										Green	/
									Blue	/	
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCSS/box/16KG											
	IH-pool light-280-27*1W	280*75	PC Cover+ABS Body	1.5	AC12V	27PCS 1W	≤27	1500	2000	RGB	internal control
											remote control
								2500	3000	White	/
										Green	/
									Blue	/	
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCSS/box/16KG											
Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumen (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-280-12*3W	280*75	PC Cover+ABS Body	1.5	AC12V	12PCS 3W	≤36	1800	2200	RGB	internal control
											remote control
								3000	3500	White	/
										Green	/
									Blue	/	
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCSS/box/16KG											
	IH-pool light-280-18*3W	280*75	PC Cover+ABS Body	1.5	AC12V	18PCS 3W	≤54	2200	2500	RGB	internal control
											remote control
								3500	3800	White	/
										Green	/
									Blue	/	
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCSS/box/16KG											
	IH-pool light-280-27*3W	280*75	PC Cover+ABS Body	1.5	AC12V	27PCS 3W	≤81	2800	3000	RGB	internal control
											remote control
								4000	4300	White	/
										Green	/
									Blue	/	
Inner Box size: 320*315*90mm, Box size: 450*330*670mm, 10PCSS/box/16KG											



In Home Lighting Limited

英鋒光電有限公司

Skype: [inhomelight02](#)

WhatsApp: [+86 13686683192, 13556686530](#)

Email: sales02@inhomelight.com

Web: <http://www.underwater-ledlight.com/>

Address: NO.391, Huancheng Road, HuangJiang Town, Dongguan City 523750, Guangdong Province, China

LED High-power Pool Light Catalog

Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumen (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-12*1W	300*75	PC Cover,+ Stainless steel chassis	2	AC12V	12PCS 1W	≤12	600	800	RGB	internal control
											remote control
								1200	1500	White	/
										Green	/
			Blue	/							
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCSS/box/21KG											
	IH-pool light-18*1W	300*75	PC Cover,+ Stainless steel chassis	2	AC12V	18PCS 1W	≤18	1200	1500	RGB	self-changing +switch control
											remote control
								1800	2200	White	/
										Green	/
			Blue	/							
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCSS/box/21KG											
	IH-pool light-27*1W	300*75	PC Cover,+ Stainless steel chassis	2	AC12V	27PCS 1W	≤27	1500	2000	RGB	internal control
											remote control
								2500	3000	White	/
										Green	/
			Blue	/							
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCSS/box/21KG											
Picture For Reference	Model	Size (MM)	Material	N.W (KG)	Voltage (V)	LEDs	Power (W)	Lumen (LM)	Illumination (LUX)	Color	Control Method
	IH-pool light-12*3W	300*75	PC Cover,+ Stainless steel chassis	2	AC12V	12PCS 3W	≤36	1800	2200	RGB	internal control
											remote control
								3000	3500	White	/
										Green	/
			Blue	/							
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCSS/box/21KG											
	IH-pool light-18*3W	300*75	PC Cover,+ Stainless steel chassis	2	AC12V	18PCS 3W	≤54	2200	2500	RGB	internal control
											remote control
								4000	4500	White	/
										Green	/
			Blue	/							
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCSS/box/21KG											
	IH-pool light-27*3W	300*75	PC Cover,+ Stainless steel chassis	2	AC12V	27PCS 3W	≤81	2200	2500	RGB	internal control
											remote control
								5500	6000	White	/
										Green	/
			Blue	/							
Inner Box size: 310*310*90mm, Box size: 620*430*310mm, 10PCSS/box/21KG											

